

Exhibit A

BID SCHEDULE – BASE BID

The undersigned hereby proposes and agrees to furnish all the hardware and equipment for this Project in accordance with the Advertisement for Bids at the prices stated below. These prices are to cover all expenses to provide and deliver equipment and materials or approved equal, as specified below, in accordance with the Advertisement for Bids. Total Bid Amounts shall be stated in both words and figures. In case of a discrepancy, words shall govern. The undersigned agrees that the prices below are the balanced figures used in preparing the Bid and further agrees, if awarded the Contract, to furnish an itemized breakdown of costs for any Bid Item. All line items must be completed, and prices must be totaled on each Bid Schedule and on the Bid Summary, if applicable.

| Item No. | Manufacturer | Item | Description | Estimated Quantity | Bid Unit Price | Bid Price | Estimated Delivery Date |
|----------|--------------|--------------------------|---|--------------------|----------------|-----------|-------------------------|
| 1 | Cambium | Cambium : C000082K174 | Cambium: PTP 820 Act.Key - RFU-D 2nd Core Activation | 16 | | | |
| 2 | Cambium | Cambium : C000082M163A | Cambium: PTP 820F, 3x Radio, 6x Eth + 16x E1/T1 | 16 | | | |
| 3 | Cambium | Cambium : C060082R240A | Cambium: PTP 820 RFU-D, Dual TX, 6 GHz, Split, Basic Radio | 4 | | | |
| 4 | Cambium | Cambium : C110082R150A | Cambium: PTP 820 RFU-D, Dual TX, 11 GHz, Split, Basic Radio | 12 | | | |
| 5 | Cambium | Cambium : AR-E4PT820F-WW | Cambium: PTP 820F, 3x Radio, 6x Eth + 16x E1/T1 All Risks Advance Replacement, 4 Additional Years | 16 | | | |
| 6 | Cambium | Cambium : AR-E4PT82D1-WW | Cambium: PTP820 RFU-D [6-15GHz] All Risks Advance Replacement, 4 Additional Years | 16 | | | |
| 7 | Cambium | Cambium : N000082L042A | Cambium PTP 820 Act.Key - GE port, per additional port | 16 | | | |
| 8 | Cambium | Cambium : N000082L048A | Cambium PTP 820 Act.Key - MC-ABC, per Tx Chan | 20 | | | |
| 9 | Cambium | Cambium : N000082L056A | Cambium PTP 820 Act.Key - XPIC, per Tx Chan | 32 | | | |
| 10 | Cambium | Cambium : N000082L116B | N000082L116B replaced N000082L116A | 36 | | | |

| | | | | | | | |
|----|---------|---------------------------|---|----|--|--|--|
| 11 | Cambium | Cambium : N000082L125A | Cambium: PTP 820 Act.Key - Capacity 500M | 8 | | | |
| 12 | Cambium | Cambium : N000082L126A | Cambium: PTP 820 Act.Key - Capacity 650M | 24 | | | |
| 13 | Cambium | Cambium : N000082L165A | Cambium: PTP 820 Mini Power Adaptor | 16 | | | |
| 14 | Cambium | Cambium : N060082D151A | Cambium PTP 820 3' ANT,SP,6GHz,RFU-C TYPE&UDR70 - Radiowave | 2 | | | |
| 15 | Cambium | Cambium : N060082D153A | Cambium PTP 820 6' ANT,SP,6GHz,RFU-C TYPE&UDR70 - Radiowave | 2 | | | |
| 16 | Cambium | Cambium : N060082L137A | Cambium PTP 820C OMT KIT 6GHz | 4 | | | |
| 17 | Cambium | Cambium : N060082L154A | Cambium PTP 820 RFU-C 6GHz OMT Interface- Radiowave | 4 | | | |
| 18 | Cambium | Cambium : N060082L247A | Cambium: PTP 820 RFU-D Diplexer,L6 GHz, TR 252A, CH1W4, Hi,6179.415- 6304.015MHz | 2 | | | |
| 19 | Cambium | Cambium : N060082L248A | Cambium: PTP 820 RFU-D Diplexer,L6 GHz, TR 252A, CH1W4, Lo,5927.375- 6051.975MHz | 2 | | | |
| 20 | Cambium | Cambium : N110082D096A | Cambium PTP 820 2' ANT,SP,11GHz,RFU-C TYPE&UBR100 - Radiowave | 2 | | | |
| 21 | Cambium | Cambium : N110082D098A | Cambium PTP 820 3' ANT,SP,11GHz,RFU-C TYPE&UBR100 - Radiowave | 7 | | | |
| 22 | Cambium | Cambium : N110082D100A | Cambium PTP 820 4' ANT,SP,11GHz,RFU-C TYPE&UBR100 - Radiowave | 3 | | | |
| 23 | Cambium | Cambium : N110082L082A | Cambium PTP 820C OMT KIT 10-11GHz | 12 | | | |
| 24 | Cambium | Cambium : N110082L103A | Cambium PTP 820 RFU-C 10_11GHz OMT Interface- Radiowave | 12 | | | |
| 25 | Cambium | Cambium : N110082L151A | Cambium: PTP 820 RFU-D Diplexer,11 GHz, TR 500, CH1W6, Hi,11185- 11485MHz | 6 | | | |

| | | | | | | | |
|----|-----------|------------------------------|--|----|--|--|--|
| 26 | Cambium | Cambium : N110082L152A | Cambium: PTP 820 RFU-D Diplexer, 11 GHz, TR 500, CH1W6, Lo, 10695-10955MHz | 6 | | | |
| 27 | Cambium | Cambium : C000000L066B | Cambium: cnPulse Sync Generator with CambiumSYNC | 5 | | | |
| 28 | Cambium | Cambium : C000065L007B | Cambium PTP 650/670 LPU and Grounding Kit (1 kit per ODU) | 7 | | | |
| 29 | Cambium | Cambium : C030045A101A | Cambium 3 GHz PMP 450m Integrated Access Point, 90 Degree | 7 | | | |
| 30 | Cambium | Cambium : AR- E2PM4MAP-WW | Cambium PMP450m Access Point All Risks Advance Replacement, 2 Additional Years | 7 | | | |
| 31 | Cambium | Cambium : N000000L054B | Cambium Power Supply, AC, 56V, 240W | 7 | | | |
| 32 | EUPEN | Hybrid : H4.51202S24C265 | Hybrid Cable 5/8", (6) pairs of 2.5 mm ² power cables and (12) pairs of single | 6 | | | |
| 33 | EUPEN | Hybrid : H4.51202S24C165 | Hybrid Cable 5/8", (6) pairs of 2.5 mm ² power cables and (12) pairs of single | 3 | | | |
| 34 | EUPEN | Hybrid : JB6E9F6PY | Hybrid: Junction Box with (6) OVPs and (6) discrete circuits for (1) 1-1/4" or (2) 7/8" or | 8 | | | |
| 35 | EUPEN | Hybrid : HG-58 | Hybrid: Hoisting Grip, Lace-up, 5/8" corrugated coax | 8 | | | |
| 36 | EUPEN | Hybrid : SH-U58 | Hybrid: Snap Hanger, Universal, for 5/8" corrugated coax | 60 | | | |
| 37 | EUPEN | Hybrid : GK-C58T | Hybrid: Ground Kit, Clip on, Tinned for 5/8" corrugated coax, includes 5' lead with | 12 | | | |
| 38 | Commscope | CommScope : PM-SU2-72 | CommScope: 72" x 2-3/8" Sliding Pipe Mount | 4 | | | |
| 39 | Commscope | CommScope : PML-SU4-63 | CommScope: Large Leg Universal Sliding Pipe Mount Kit, 4-1/2" | 2 | | | |
| 40 | Commscope | CommScope : PM-SU4-63 | CommScope Universal Sliding Pipe Mount Kit with 63" x 4-1/2"OD pipe. | 15 | | | |

| | | | | | | | |
|----|---------|-------------------------------------|---|-------|--|--|--|
| | | | Adjustable for up to 7 deg of taper. | | | | |
| 41 | Rohn | Rohn Products : JRM23855HC | Rohn non penetrating roof mount. Mast is 2-3/8" O.D., 120" in height and in 2 pieces. 62" Square. | 1 | | | |
| 42 | APC | APC : PRM24 | 19in Chassis, 1U, 24 Channels, for Replaceable Data Linesurge | 12 | | | |
| 43 | McCowen | McCown Technology : 800-DCSS-APC | McCown Technology Rack Mount DC Power Line APC Rack Surge Suppressor | 45 | | | |
| 44 | Belden | Belden : 9314 | Belden: 14ga 2cond Shield Power 1ft | 1,000 | | | |
| 45 | Belden | Belden : 7919A | 1000' Outdoor Rated, UV protected, shielded Cat5 ethernet cable | 1 | | | |
| 46 | Cambium | Cambium : SFP-10G-LR | Cambium: 10G SFP+ SMF LR Transceiver, 1310nm. - 40C to 85C | 36 | | | |
| 47 | ICT | main | ICT-IPS-LDM | 3 | | | |
| 48 | ICT | main | ICT700-48PM | 17 | | | |
| 49 | ICT | ICT : ICT-CB5 | ICT 5 Amp 60VDC Rated Hydraulic/Mechanical Breaker | 44 | | | |
| 50 | ICT | ICT : ICT-BPM | ICT Blanking Panel for unused Power Module positions | 6 | | | |
| 51 | ICT | main | ICT-IPS-LDM-LDM | 2 | | | |
| 52 | ICT | main | ICT-IPS | 3 | | | |
| 53 | ICT | ICT : ICT-BLP | ICT Snap-in Breaker Blanking Plate | 2 | | | |

| | | | | | | | |
|----|----------|-------------------------|---|---|--|--|--|
| 54 | ICT | ICT : 73-ICT200DB-12IRC | ICT: Series III, Intelligent Dual Bus Breaker Distribution Panel, HTML, SNMP, site monitoring, remote on/off, (add breakers from options below) | 3 | | | |
| 55 | Meanwell | Meanwell : RSD-500C-48 | Meanwell: Isolated DC/DC Converters 33.6-67.2Vin 48V 460.8W 9.6A | 9 | | | |
| | | | | | | | |

TOTAL BASE BID \$ _____

(_____ DOLLARS)

Bidder acknowledges that (1) each Bid Unit Price includes an amount considered by Bidder to be adequate to cover Supplier's overhead and profit for each separately identified item, and (2) estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all unit price Bid items will be based on actual quantities, determined as provided.

BIDDER: *[Indicate correct name of bidding entity]*

By:
[Signature] _____

[Printed name] _____
(If Bidder is a corporation, a limited liability company, a partnership, or a joint venture, attach evidence of authority to sign.)

Attest:
[Signature] _____

[Printed name] _____

Title: _____

Submittal Date: _____

Address for giving notices:

Telephone Number: _____

Fax Number: _____

Contact Name and e-mail address: _____

Bidder's License No.: _____